

Style 332-1-PES TECHNICAL DATA

Base Fabric	Tolerance	Test Methods
Yarn		DIN 53830-3
Warp	EC9 136 tex $\pm 5\%$	
Weft	EC9 136 tex $\pm 5\%$	
Thread Count		DIN EN 1049-2
Warp	18,0 1/cm $\pm 5\%$	
Weft	13,0 1/cm $\pm 5\%$	
Weight	420 g/m ² $\pm 5\%$	DIN EN 12127
Weave	Cross Twill	ISO 9354
Temperature Resistance 550°C		

Coated Fabric	Tolerance	Test Methods
Coating: laminated with a metallised polyester-foil on one side for excellent heat reflection		
Weight	480 g/m ² $\pm 10\%$	DIN EN 12127
Thickness	0,40 mm $\pm 10\%$	DIN EN ISO 5084
Tensile Strength		DIN EN ISO 13934-1
Warp	> 5.000 N/5cm	
Weft	> 3.500 N/5cm	
Temperature Resistance: 180 °C		

